



Article

From algorithms to intelligence: exploring the fusion of AI and computer science for emerging technological solutions

Smitha Rajagopal^{1*}, Smita Nirkhi², Bharati S Pochal³, Shilpa B Kodli³, Megha Rani Raigonda³, Swaroopa Shastri³

¹Department of CSE, Alliance School of Advanced Computing, Alliance University, Bengaluru, India

²Symbiosis Institute of Technology, Nagpur Campus, Symbiosis International (Deemed University), Pune, India

³Visvesvaraya Technological University, Centre for PG Studies, Kalaburagi, Karnataka, India

ARTICLE INFO

Article history:

Received 17 November 2025

Received in revised form

26 March 2026

Accepted 14 May 2026

Keywords:

Artificial intelligence, Computer science, Algorithms, Conceptual review, Intelligent systems, Sustainable computing

*Corresponding author

Email address:

smitha.research1012@gmail.com

DOI: 10.55670/fpll.futech.5.3.13

ABSTRACT

Artificial intelligence and computer science will converge to produce the next set of emerging technologies. Artificial intelligence enables machines to learn, make intelligent decisions, and adapt, but it is built on the foundations of computer science, including algorithms, data structures, optimization, complexity theory, and computing platforms. This theoretical review examines the role of these foundations in modern artificial intelligence systems and their contributions to the development of scalable, explainable, efficient, and deployable technologies. The paper discusses the technical foundations of machine learning, deep learning, graph-based intelligence, neuro-symbolic systems, explainable artificial intelligence, and edge intelligence in terms of algorithmic reasoning, data structures, learning optimization, computational efficiency, and computational infrastructure. It also discusses the role of integrating artificial intelligence and computer science across major application areas, including smart health, cybersecurity, robotics, natural language processing, Internet of Things systems, edge computing, and sustainable digital infrastructure. To improve the paper's conceptual framework, it proposes an Algorithm-to-Intelligence Integration Framework that connects computer science foundations, artificial intelligence paradigms, system requirements, application domains, and future technologies. The survey finds that intelligent systems should, in the future, combine adaptive learning with robust computational design to achieve responsible, secure, sustainable, and deployable technological advancement.

1. Introduction

1.1 Background: from algorithms to intelligence

Artificial intelligence (AI) is currently one of the most exciting and significant trends in computer technology, and its evolution is inseparable from computer science. Algorithms, data structures, optimization, computational models, and system-level design are at the core of AI systems. Deep learning uses mathematical models, multi-layered processing, optimization, and big data processing to enable computers to identify patterns, classify, and predict using complex data sets. This relationship illustrates that AI is not merely another byproduct of computer science but a highly evolved form of computational thinking and algorithmic solutions. The transition to intelligence can be defined as the shift from structured, rule-based methods of computation to systems that can learn from data and improve their behavior

over time. AI models extend traditional algorithms by providing reasoning capabilities to manipulate information, as well as the ability to learn, reason, and make autonomous decisions. The success of deep neural networks with tree search is a prominent example of this shift, in which algorithmic search and learning models are intertwined to achieve state-of-the-art decision-making in complex environments [1]. These improvements suggest that machines are not intelligent due to data processing, but also due to the combination of algorithms, computational speed, and model.

1.2 Problem statement

Although the conversation surrounding AI as a revolutionary technology is popular, many other studies focus on the uses of AI and are less concerned with the

computer science behind the uses. The AI is proposed as a tool that can provide solutions in such areas as cybersecurity, robotics, natural language processing, edge computing, and smart infrastructure. However, the effectiveness of such solutions demands high levels of algorithmic efficiency, scalability in computation and data storage, optimization algorithms, and software infrastructure. Without these foundations, AI systems may be computationally expensive, not explainable, unreliable to deploy, or irrelevant to real-world technological situations. This poses a conceptual issue in the literature: AI is often viewed as an application-oriented field, whereas its close relationship to computer science is not always well understood. Research on machine learning demonstrates that algorithms are the heart of AI applications in the real world, whether for classification and prediction or for recommendation systems, decision support, and intelligent automation [2]. Nevertheless, these algorithmic and computational bases still require the conceptual linkages with the wider emerging technological solutions.

1.3 Research gap

AI techniques, machine learning models, and technological applications are among the aspects that have been appreciated in the available literature. However, there is still a need to have a review of ideas on the interactions between the foundations of computer science and AI paradigms to support new technologies. The available literature tends to analyze AI in specific domains, but there is less research that provides a conceptual perspective on how algorithms, data organization, optimization, complexity theory, and computational infrastructure can be combined to create intelligent systems. This is a big gap, as the future of AI lies not only in developing larger models but also in developing efficient, explainable, scalable, secure, and sustainable systems. Already, AI is a strong paradigm for scientific research and technology development, and its successful implementation in systems grounded in computation and cross-disciplinary system design will define AI's long-term impact [3]. Conceptual synthesis is therefore necessary to provide an account of how the algorithms contribute to intelligence transformation and how the synthesis could benefit technological innovation in the future

1.4 Aim and objectives

This review will conceptually explore the convergence of artificial intelligence and computer science and describe its role in the creation of new technological solutions. The aims of this review are:

- To examine how core computer science principles support the development of modern AI systems.
- To explain the role of algorithms, data structures, optimization, complexity theory, and computational infrastructure in transforming computational processes into intelligent systems.
- To analyze how AI-computer science integration contributes to emerging technological domains such as healthcare, cybersecurity, robotics, natural language processing, edge computing, Internet of Things systems, and sustainable digital infrastructure.
- To propose a conceptual framework that connects computer science foundations, AI paradigms, system-level requirements, and future technology outcomes.

1.5 Contribution of the review

The review serves to advance the literature, presenting AI as a logical extension and continuation of computer science rather than a technology domain. It provides a theoretical

overview of how algorithmic principles and intelligent models can be integrated to produce scalable, deployable technology solutions. The review also contributes by proposing an Algorithm-to-Intelligence Integration Framework that clarifies the relationships among computer science backgrounds, AI paradigms, system-level requirements, application areas, and future technological outcomes. By doing so, the paper has the potential to offer a systematic conceptual guide to researchers, developers, and technology practitioners interested in developing systems that are not only intelligent but also efficient, explainable, secure, sustainable, and fit for real-world applications.

2. Review orientation and conceptual approach

2.1 Conceptual review design

The conceptual review design adopted in this paper aims to investigate the relationship between artificial intelligence and computer science in the development of new technological solutions. The review is not intended to be a systematic literature review, statistical meta-analysis, or empirical investigation. Rather, the paper develops a conceptual understanding of how the foundations of core computer science can be applied to the design, operation, and implementation of contemporary artificial intelligence systems. This topic is appropriate for a conceptual review due to the interdisciplinary, broad, and theoretical, as well as technical nature of the relationship between algorithms and intelligence. The paper thus concentrates on integrating key ideas, identifying associations between computational principles and AI paradigms, and using these associations to justify future-oriented technological applications. The review does not quantify statistical impacts or address hypotheses, but instead interprets and systematizes the existing knowledge to explain the way artificial intelligence is changing out of, and continues to rely on, the basics of computer science. In this way, the paper can talk about artificial intelligence as the system of sophisticated models, as well as an ecosystem of computation, i.e., as the system of algorithmic design, structured data representation, optimization, complexity control, and scalable infrastructure. Through a conceptual review design, the paper offers a cohesive perspective on how the transformation of algorithms into intelligence can be understood in the context of the broader progress of emerging technologies.

2.2 Literature orientation

Scholarly literature on artificial intelligence, computer science, algorithm design, intelligent systems, explainable artificial intelligence, edge computing, cybersecurity, healthcare technologies, robotics, natural language processing, Internet of Things systems, and sustainable computing informs this review. The areas were chosen as they are important areas of contact between computer science principles and AI techniques. The literature orientation does not tie to a particular technological area. Rather, it encompasses both basic and application-oriented fields. Basic fields are algorithms, data structures, optimization techniques, computational complexity, distributed computing, machine learning, deep learning, graph-based learning, federated learning, and neuro-symbolic AI. Smart healthcare, cybersecurity, robotics and autonomous systems, natural language processing, edge intelligence, smart infrastructure, and sustainable digital technologies are some of the application-oriented fields. The given orientation helps prove the paper's main thesis: artificial intelligence can be applied in practice when it has

solid computational foundations. The intelligent systems must not only be accurate in their models, but also efficient, scalable, interpretable, robust, secure, and responsibly deployed. Thus, a conceptual bridge between the foundations of computer science and the new AI-based technologies is constructed, with the help of the literature.

2.3 Conceptual synthesis strategy

The synthesis of the ideas in this review is based on five interrelated themes. The former theme concerns the foundations of computer science, including algorithms, data structures, optimization, computational complexity, and distributed infrastructure. This theme describes the technical foundation on which the intelligent systems are created. The second theme explores AI paradigms that have emerged in computer science, including symbolic AI, data-driven AI, hybrid and neuro-symbolic AI, explainable AI, and edge intelligence. This theme illustrates how various versions of AI reflect different ways of reasoning, learning, representation, and computational design. The third theme is the analysis of emerging application areas where the mixture of AI and computer science is particularly evident. These are smart healthcare, cybersecurity, robotics, natural language processing, edge computing, IoT systems, smart infrastructure, and sustainable digital technologies. These sections show how conceptual and technical integration is made into practical technological innovation.

The fourth theme deals with deployment issues. They are scalability, computational cost, latency, interpretability, privacy, security, energy efficiency, reliability, and ethical responsibility. These issues are significant, as AI systems cannot become successful emerging technologies unless they can be used effectively in real-world settings. The review's future-technology perspective is elaborated in the fifth theme. It ties together computer science underpinnings and AI paradigms, system-level needs, and application domains to a proposed Algorithm-to-Intelligence Integration Framework. This framework is supposed to describe the evolution of computational principles into intelligent capabilities and how intelligent capabilities can be used to implement responsible, sustainable, and deployable technological solutions.

3. Conceptual foundations: from algorithms to intelligence

3.1 Algorithms as the foundation of intelligent systems

The shift of algorithms toward intelligence can be initiated by the capacity of computational systems to compute, organize, and convert data into meaningful representations. This process is based on classical computer science, which provides a logical and mathematical foundation, and artificial intelligence, which extends these foundations to systems capable of learning, adapting, and making decisions. Algorithms, in this way, not merely constitute technical processes; they are the functional fabric of which smart behavior is built, tuned, and implemented. This connection is particularly apparent in machine learning models used to handle complex data structures. Non-Euclidean data (graphs, networks, manifolds, relational structures) arise in many real-world AI problems. Geometric deep learning is a variant of deep learning that learns from irregular fields and extends deep learning to grid-based data. [4]. This demonstrates that intelligence requires data, appropriate computational structures, and algorithmic principles.

3.2 Data structures and knowledge representation

Data structures play a crucial role in intelligent systems, as they govern how information is stored, ordered, retrieved, and interpreted. Structured representation can assist in translating raw data into knowledge that can be utilized in AI. AI systems understand how to capture relationships, discern patterns, and follow reasoning across interconnected data using graphs, trees, matrices, embeddings, and knowledge structures. This role is emphasized in graph-based learning. Graph convolutional networks are based on graph structures that combine both node and relational information to facilitate semi-supervised learning in connected data settings [5]. It is significant in areas like social networks, biological systems, transportation networks, cybersecurity, recommendation systems, and knowledge graphs. Graph neural networks also illustrate the relationship between computer science and AI by integrating representation learning, network theory, and propagation. The models have found applications in recommendation, natural language processing, computer vision, molecular analysis, and traffic forecasting [6]. This is to show that the shift towards intelligent algorithms entails a move from simple data processing to relational and contextual intelligence.

3.3 Optimization and machine learning

Computer science and artificial intelligence are closely related via optimization. Machine learning systems do not become intelligent simply by being presented with data; they require optimization techniques to tune model parameters, minimize error, and improve performance through repeated training. Optimization of models. This converts a static model of computation to an adaptive learning system. Gradient descent and its variations provide a mathematical framework for training models on data. Stochastic gradient descent, momentum-based methods, AdaGrad, RMSProp, and Adam are some of the methods that have influenced the field of deep learning by improving convergence, stability, and computational efficiency [7]. These approaches demonstrate how intelligence emerges through refinement. Optimization is also essential for minimizing computational costs and enhancing portability and preparation. Deep compression algorithms, such as pruning, quantization, and coding, reduce the size of neural networks without degrading performance, enabling AI models to be better adapted to limited hardware [8]. This applies especially to edge AI, mobile intelligence, autonomous devices, and IoT systems.

3.4 Computational complexity and scalability

Computational complexity helps assess an intelligent system's ability to transition from theoretical design to actual implementation. The success of AI models in controlled settings does not necessarily translate into their usefulness in real-world settings, particularly in terms of scalability to large datasets, real-time use, and distributed infrastructures. Deployment feasibility is affected by time complexity, space complexity, training cost, inference speed, and communication overhead.

Scalability is increasingly relevant as AI models grow larger. Parallel and distributed deep learning strategies can address this issue by distributing computation across processors, machines, or accelerators. These strategies enhance mass training but also introduce issues with synchronization, communication, memory management, and hardware utilization [9]. This indicates that in modern AI, not just model architecture but also system design and distributed computation are involved.

Accessibility is also impacted by scalability. If AI models require extensive computation, it might be challenging to deploy them in resource-constrained settings or in real time. An effective algorithm implementation and scalable infrastructure are thus needed to convert AI into test systems into actual technological implementations.

3.5 Distributed computing and AI infrastructure

Distributed computing and computer systems are essential for modern AI. Large-scale machine learning, deep learning, federated learning, and edge intelligence need to handle data across multiple devices, sites, and networks. This is critical when data can't be collected centrally due to privacy, security, bandwidth, or regulatory concerns. Federated learning exemplifies this trend by enabling AI models to be trained across multiple data sources without sending data to a central server. This enables privacy-preserving and distributed intelligence in health care, finance, industry, mobile, and Internet of Things (IoT) applications [10]. Federated learning conceptually illustrates how AI and computer science intersect in distributed algorithms, communication, privacy-preserving algorithms, and model training. Finally, the shift from algorithms to intelligence is driven by an interplay among algorithms, data, optimization, complexity, and computing. The movement from algorithms to intelligence can be seen as an evolution from procedural computing to adaptive, contextual, and operational intelligence. This evolution is captured in Figure 1.

Intelligence does not spring from data, as Figure 1 illustrates. It progresses through several computational steps that successively enable adaptive and deployable intelligence through algorithms, representation, optimization, and learning. This enables AI systems to evolve from static computer science to adaptive, scalable, and deployable systems. As a result, new technological solutions must be viewed not just through the lens of AI models but also through the lens of the computer science principles that allow AI models to operate efficiently, reliably, and effectively. The transition from algorithms to intelligence relies on several foundations of computer science. Table 1 illustrates the contributions of these foundations to AI.

4. AI paradigms emerging from computer science

4.1 Symbolic AI

Symbolic artificial intelligence is one of the earliest paradigms for modeling intelligence through logic, rules, knowledge representation, and reasoning. It embodies the traditional approach in computer science, in which problem-solving relies on explicit rules and structures. It is highly interpretable as reasoning can be traced through rules. But symbolic AI is not well-suited to uncertainty, noisy input, extensive pattern learning, or situations where rules are not well-defined, or they continually evolve. These challenges led to the emergence of data-driven AI, in which examples play a more significant role than the encoding of all possible rules.




Figure 1. Conceptual evolution from algorithms to intelligence

Table 1. Core computer science foundations and their contributions to modern AI systems

Computer Science Foundation	Role in AI	Example Contribution
Algorithms	Provide logic for search, reasoning, prediction, and decision-making	Classification, optimization, planning
Data Structures	Organize and represent information	Graphs, trees, embeddings, knowledge structures
Optimization	Improves model learning and performance	Gradient descent, tuning, and pruning
Computational Complexity	Determines efficiency and scalability	Training cost, inference speed, memory demand
Distributed Computing	Enables large-scale and decentralized AI	Parallel learning, federated learning, cloud-edge systems
Computational Infrastructure	Supports training and deployment	GPUs, TPUs, cloud platforms, edge devices

4.2 Data-driven AI

The Data-driven AI is a transition from rule-based to learning-based AI. Rather than relying solely on a set of rules, these systems learn from large amounts of data, and then use this learning to make predictions, generate and classify, and make decisions. The transformer is a key advancement in this paradigm. BERT demonstrated the effectiveness of deep bidirectional representations in language understanding by pretraining on a large corpus and fine-tuning for various tasks [11]. Large language models have extended this paradigm to demonstrate adaptability across various tasks through few-shot learning [12]. Foundation models are another evolution of data-driven AI, as they are trained on a wide range of data and can be applied to tasks across language, vision, robotics, health care, and decision-making. But they also pose risks of bias, opacity, misuse, and environmental and societal impacts [13]. So, data-driven AI is flexible and general, but it also needs to be well designed and governed.

4.3 Hybrid and neuro-symbolic AI

Despite the success of data-driven AI, deep learning suffers from limitations in terms of abstraction, causality, compositionality, explainability, data requirements, and computational resources. Such shortcomings have raised concerns about whether deep learning is adequate to produce strong and general intelligence [14]. Neuro-symbolic AI combines symbolic and data-driven learning to overcome these limitations. Symbolic AI adds structure, logic, and interpretability, whereas neural models add adaptability and pattern recognition. The transition from statistical relational AI to neuro-symbolic AI illustrates how logic, probability, relational modeling, and neural computation can be integrated into intelligent systems [15]. Neuro-symbolic AI has been termed a third wave of artificial intelligence since it is no longer concerned with the division between symbolic and connectionist traditions. Neuro-symbolic systems combine neural learning and symbolic representation to enhance reasoning, interpretability, generalization, and believability [16].

4.4 Explainable and responsible AI

Explainable and responsible AI is the new reality, as intelligent systems are now deployed in high-impact applications across healthcare, cybersecurity, finance, transportation, education, and governance. The more complex the models are, the more users and regulators should know about how decisions are made. This brings about the requirement of trust, accountability, fairness, transparency, and ethical deployment. Interpretability is a technical and scientific need for comprehending machine learning systems. To achieve a rigorous science of interpretable machine learning, explanations must be meaningful, reliable, and useful to human decision-makers [17]. Explainable AI thus aims to simplify complex models by visualizing, interpreting, and explaining their internal decision processes [18]. There are a number of approaches for describing black-box models, including feature importance, local explanations, surrogate models, rule extraction, counterfactual explanations, and visualization methods [19]. Nonetheless, interpretable models can be preferable to post hoc explanations in high-stakes situations, since post hoc approaches can only provide an approximate sense of transparency [20]. Explainable AI is now associated with concepts, taxonomies, opportunities, and challenges in responsible AI design, as well as with the connection between technical transparency and fairness, accountability, and human control. Bias and fairness are also important for responsible AI, as machine learning systems

can reproduce or amplify social and historical biases [21]. Accountability can be further reinforced through internal algorithmic auditing that aims to identify risks and document decision-making processes throughout the AI lifecycle [22].

4.5 Edge AI and embedded intelligence

Edge AI and embedded intelligence represent a shift in AI away from centralized cloud computing toward distributed, real-time computing. Numerous new technologies need a more rapid, localized, and privacy-conscious intelligence on devices, including sensors, mobile systems, autonomous vehicles, medical devices, industrial machines, and IoT platforms. The paradigm is heavily grounded in computer science, including efficient algorithms, lightweight models, optimized data structures, low-latency computation, embedded systems, and distributed infrastructure. Edge AI needs to trade off between precision and limitations (limited memory, processing power, bandwidth, and energy availability). Intelligence embeds are particularly useful in real-time decisions in robotics, health monitoring, cybersecurity, autonomous systems, and smart infrastructure. By locating intelligence closer to the operational environment, edge AI facilitates quicker response, enhanced confidentiality, reduced communication costs, and greater adaptability during deployment. In general, symbolic AI is focused on logic and interpretability; data-driven AI is focused on learning and adaptability; hybrid and neuro-symbolic AI is focused on both reasoning and learning; explainable and responsible AI is focused on trust, fairness, and accountability; and edge AI is focused on real-time and distributed intelligence. The main AI paradigms mentioned in this review indicate varying approaches to transforming computer science principles into intelligent capabilities. These paradigms and their main features are summarized in Figure 2.




Figure 2. Major AI paradigms emerging from computer science

In Figure 2, we show that today's AI is not limited to a single paradigm. Rather, it comprises symbolic, data-driven, hybrid, explainable, and edge-based approaches that contribute to scalable, deployable intelligence. These paradigms demonstrate that the future of AI is not just about new models but also about the computer science paradigms that enable intelligence to be scalable, explainable, secure, and deployable. It is helpful to compare the strengths, weaknesses, and technological potential of the major AI paradigms. Table 2 presents this comparison.

Table 2. Comparative overview of major AI paradigms

AI Paradigm	Core Basis	Strengths	Limitations	Relevance to Emerging Technologies
Symbolic AI	Logic and rules	Interpretability, structured reasoning	Weak with noisy data	Expert systems, rule-based decision support
Data-Driven AI	Learning from data	Adaptability, predictive performance	Opaque, data-intensive	NLP, healthcare, analytics
Hybrid / Neuro-Symbolic AI	Logic plus learning	Reasoning, explainability, generalization	Complex design	Trustworthy intelligent systems
Explainable AI	Transparency methods	Trust, accountability, interpretability	Some explanations are post-hoc	High-stakes domains
Edge AI	Localized embedded intelligence	Low latency, privacy, real-time response	Resource constraints	IoT, robotics, smart infrastructure

Table 2 shows that each AI paradigm contributes a different capability. Future intelligent systems are likely to require combinations of reasoning, learning, explainability, and deployment efficiency rather than reliance on a single paradigm.

5. Emerging technological solutions enabled by AI-CS fusion

5.1 Smart healthcare technologies

Artificial intelligence and computer science have resulted in significant technological advances in smart healthcare. Smart models are applied in healthcare for diagnosis, prediction, monitoring, decision-making, and treatment. This requires computer science principles in data structures, optimization, image processing algorithms, computational modeling, secure data management, and scalable computing infrastructure. AI helps healthcare by discovering patterns in clinical data, medical images, genetic information, and patient-monitoring devices to enable diagnosis, prediction, and decision-making [23]. The integration of human and artificial intelligence has also transformed high-performance medicine by enhancing precision, efficiency, and data-driven approaches [24]. Deep learning is particularly significant in healthcare, as it can learn from complex data such as medical images, electronic health records, and biomedical signals. Neural architecture, optimization, pattern recognition, and scalability support these applications [25]. Recent research on multimodal data fusion demonstrates that smart healthcare increasingly relies on integrating images, text, sensor data, and structured clinical data to gain clinical insights [26].

5.2 Cybersecurity and information security

Another important application for AI and computer science is cybersecurity. With the rise of digital systems, there is a huge amount of network traffic, system logs, malware, and threat features. AI allows security systems to detect anomalies, classify threats, detect intrusions, and automate actions. These capabilities rely on data mining, machine learning, network analysis, cryptography, anomaly detection, and secure system design. Machine learning and data mining approaches have been extensively applied to intrusion detection by learning from past and current security information [27]. Deep learning has also enhanced cybersecurity with feature engineering, malware detection, phishing detection, and intrusion classification [28].

Machine learning-based cybersecurity also relies on security intelligence modeling, such as threat modeling, vulnerability prediction, and adaptive defense. These models rely on AI model integration with algorithms, data structures, threat modeling, and secure information processing [29]. Recent research also reveals that future cybersecurity will increasingly depend on smart, automated, and adaptive cybersecurity [30].

5.3 Robotics and autonomous systems

Autonomous systems and robotics are a clear example of the integration of artificial intelligence and computer science. They involve perception, navigation, planning, control, learning, and decision-making. AI offers flexibility, and computer science ensures safe robotic operation through algorithmic and computational systems. Deep reinforcement learning helps mobile robot navigation by enabling robots to learn control policies for navigation in both simulations and the real world [31]. Nevertheless, robotics also needs safety, reliability, and stability of control. Safe learning combines learning-based control with safe reinforcement learning to reduce harmful or unstable behavior in dynamic settings [32]. Multi-sensor fusion and explainable AI are also crucial to autonomous systems. Cameras, LiDAR, radar, GPS, and other sensors provide information that vehicles and robots use to understand their environment. Explainability is crucial as autonomous decisions should be explainable in safety-critical settings [33]. Therefore, robotics is not merely an AI problem but a problem in computational systems that entails algorithms, sensors, hardware, real-time processing, and making responsible decisions.

5.4 Natural language processing and intelligent interfaces

A significant field where AI-computer science fusion has turned human-computer interaction is natural language processing. NLP allows machines to analyze, synthesize, and understand human language. It relies on computational linguistics, data structures, statistical modeling, neural networks, optimization, information retrieval, and large-scale language representation. Deep learning has enhanced NLP, as models can learn linguistic patterns from large bodies of text. Such models are used to classify texts, analyze sentiments, perform machine translations, answer questions, summarize, and converse [34]. By allowing state-of-the-art language modeling and transfer learning on a wide range of tasks,

transformer-based systems have further improved NLP. Now they are the focus of smart interfaces, as they can facilitate contextual processing, generate responses, and be more adaptable to user interaction [35].

5.5 Edge computing, IoT, and smart infrastructure

Applications of AI-computer science fusion include edge computing, Internet of Things systems, and smart infrastructure. Most emerging technologies demand smart processing near the data source and do not necessarily rely on centralized cloud computing. This applies particularly to smart cities, industrial control, medical surveillance, self-driving cars, environmental detection, and real-time surveillance. Edge computing will help overcome the drawbacks of centralized cloud computing by supporting low latency, location awareness, mobility, and real-time processing [36]. Edge intelligence builds on this concept by introducing AI into edge environments, enabling models to be deployed closer to sensors, devices, and users. This makes AI more feasible in situations where bandwidth, privacy, and response time are important [37]. AI/edge computing convergence is particularly significant for IoT-based applications. Massive numbers of devices produce never-ending streams of data that must be analyzed effectively and securely. AI can be used to assist with prediction, monitoring, anomaly detection, and automation, whereas edge computing enables localized, real-time decision-making [38].

5.6 Sustainable and responsible future technologies

Future technologies are supposed to be sustainable and responsible, which means that AI systems must be not only accurate but also efficient, secure, explainable, and socially aligned. As AI becomes part of healthcare, cybersecurity, robotics, NLP, edge computing, and smart infrastructure, it is affecting performance not just at a technical level. Future innovations should be based on energy consumption, privacy, fairness, accountability, safety, and long-term sustainability. The unification of AI and computer science is at the core of this objective, since responsible technology lies in the capacity to make intelligent decisions as well as in powerful computational design. Efficient algorithms can reduce computational waste, scalable infrastructure can facilitate deployment, explainable systems can build trust, and secure architecture can safeguard sensitive information. On the whole, these areas of application demonstrate that the new technological solutions are not developed solely by AI. The potential value of AI-computer science fusion can be well understood in various new areas of technology. Table 3 lists the areas covered in this review and the most important AI-CS enablers.

As indicated in Table 3, AI-CS fusion can be applied across a wide range of technological domains. Even though these areas differ in purpose, they are all related to the need for efficient computation, well-designed modeling, safe deployment, and accountable design. They rely on learning models, algorithms, data structures, optimization, distributed systems, security mechanisms, and responsible design. Smart health, cybersecurity, robotics, NLP, edge computing, IoT, and green infrastructure show that the shift in algorithms toward intelligence becomes significant only when it yields useful, implementable, trustworthy, and socially rewarding technologies.

6. Proposed conceptual framework

6.1 Rationale for the framework

The amalgamation of artificial intelligence and computer science requires a systematic conceptual clarification, since intelligent systems are not designed using AI models. They result from the interaction among the computational underpinnings, learning paradigms, system-level requirements, application environment, and future technology objectives. In the absence of a framework, AI can be discussed as a tool, but the more profound roles of algorithms, data structures, optimization, complexity management, and infrastructure remain poorly articulated. It then requires a conceptual framework that demonstrates how computer science foundations translate into intelligent capabilities and how those capabilities can be applied to new areas of technology. It further justifies why AI systems should be considered not just on how accurate they are, but also on how scalable, explainable, secure, robust, latent, private, sustainable, and ethically accountable they are. The proposed Algorithm-to-Intelligence Integration Framework provides a stratified perspective on this relationship. It describes how the computer science foundation supports AI paradigms, how the paradigms should meet system-level requirements, and how they lead to new technologies and future outcomes.

6.2 Algorithm-to-intelligence integration framework

The Algorithm-to-Intelligence Integration Framework comprises five interconnected layers: computer science foundations, AI paradigms, system-level requirements, emerging technology domains, and future technology outcomes. Computer Science Foundations is the first level and covers algorithms, data structures, optimization, computational complexity, distributed systems, software engineering, and computational infrastructure. These are the foundations that provide intelligent systems with the technical basis for processing, organizing, optimizing, scaling, and deploying information.

Table 3. Emerging technological domains enabled by AI-CS fusion

Technological Domain	AI-CS Enablers	Typical Applications	Key System Requirements
Smart Healthcare	Learning models, data fusion, medical data processing	Diagnosis, monitoring, decision support	Accuracy, privacy, interpretability
Cybersecurity	Machine learning, anomaly detection, threat modeling	Intrusion detection, malware analysis, adaptive defense	Robustness, speed, security
Robotics & Autonomous Systems	Reinforcement learning, sensor fusion, control algorithms	Navigation, autonomy, safe interaction	Safety, latency, reliability
NLP & Intelligent Interfaces	Deep learning, transformers, language representation	Chatbots, translation, summarization	Scalability, contextual accuracy
Edge Computing & IoT	Distributed AI, embedded systems, real-time analytics	Smart devices, monitoring, automation	Low latency, energy efficiency
Sustainable Digital Systems	Efficient AI, responsible design, optimized infrastructure	Green AI, resource management, sustainable automation	Sustainability, accountability, efficiency

The second layer, AI Paradigms, comprises symbolic AI, machine learning, deep learning, reinforcement learning, hybrid AI, neuro-symbolic AI, explainable AI, and edge intelligence. These paradigms convert the foundations of computation into the ability to learn, reason, predict, and make decisions. System-Level Requirements is the third layer, comprising scalability, interpretability, robustness, latency, privacy, security, energy efficiency, reliability, and sustainability. These are the requirements that enable an AI system to be successfully deployed in a real-world technological environment. Emerging Technological Domains is the fourth layer, encompassing smart healthcare, cybersecurity, robotics, natural language processing, Internet of Things systems, edge computing, smart infrastructure, autonomous systems, and sustainable digital technologies. These areas demonstrate how AI-computer science fusion will be applied to become a viable innovation. The fifth layer is Future Technology Outcomes that encompasses responsible AI, trustworthy automation, sustainable computing, human-centered intelligence, secure digital systems, scalable intelligent infrastructure, and deployable technology solutions. These are the big picture results of AI-computer science integration. To illustrate the suggested framework graphically, Figure 3 shows the stratified pathway in which the support AI paradigms, deployment requirements, application domains, and future technology outcomes of the computer science foundation are presented.




Figure 3. Algorithm-to-Intelligence Integration Framework for emerging technological solutions

The basic outline of this review is depicted in Figure 3. It describes the translation of computational foundations into AI paradigms, how those paradigms should meet system requirements, and how they can be applied to new technological areas and future technology deliverables.

6.3 Explanation of framework flow

The framework starts with computer science foundations, since AI systems need a computational foundation before they can exhibit intelligent behavior. Data processing, model training, and decision generation are mechanisms executed using algorithms, data structures, optimization, complexity theory, and infrastructure. It is these foundations that, in turn, enable AI paradigms that convert computation into learning, reasoning, prediction, and decision making. Symbolic AI can be seen as an extension of formal logic into rule-based intelligence; machine learning can operate on data patterns to produce predictive models;

hybrid AI merges reasoning with learning; explainable AI provides greater transparency; and edge AI enables localized intelligence. Once the AI paradigms are created, they should meet the system-level requirements. This step bridges the gap between AI design and actual implementation, ensuring that the systems are scalable, interpretable, robust, secure, efficient, and fit for real-world constraints. The second step is to use AI systems in new technological fields, such as healthcare, cybersecurity, robotics, NLP, edge computing, IoT, and smart infrastructure. These areas demonstrate how AI is relevant in solving tangible issues in technology. The last phase centers on the outcomes of future technologies. With appropriate paradigms, driven by deployment requirements and an adequate foundation in computer science, and built responsibly, AI systems can enable safe, scalable, sustainable, and socially positive technological innovation.

7. Discussion

7.1 Theoretical implications

This theoretical overview demonstrates that the merging of artificial intelligence and computer science ought to be understood as an underlying relationship rather than a transient technological phenomenon. AI is not a separate entity that arises from computational theory; it relies on algorithms, data structures, optimization, complexity management, and computational infrastructure. This reinforces the perspective that AI is an offshoot of computer science, in which intelligence is generated through algorithms and learning processes. The proposed Framework of Algorithms-to-Intelligence Integration contributes to the theoretical understanding of this correlation by breaking it down into a top-down structure. It demonstrates how the computer science foundation supports AI paradigms, how these paradigms should meet system-level requirements, and how these requirements affect the creation of new technological solutions. The framework further notes that AI ought to be considered not only in terms of accuracy but also of efficiency, interpretability, scalability, and sustainability. Computational responsibility should also be a consideration in future AI theory. As AI models become more advanced and more computationally expensive, environmental and computational costs should be the focus of theoretical discussion. Green AI emphasizes the importance of attention to efficiency, energy consumption, computing costs, and performance-enhancement systems [39].

7.2 Technical Implications

Technical aspects of AI-computer science fusion have important implications in the design and implementation of intelligent systems. The processing of information, optimization methods, the system's complexity and scalability, and AI's ability to operate in distributed or resource-constrained contexts all rely on algorithms. Scalability, explainability, robustness, privacy, latency, and energy efficiency should be prioritized in designing future AI systems. AI has the potential to support a number of Sustainable Development Goals; however, its use relies on responsible, effective design and implementation [40]. Climate-based applications are another technical field of AI use, including climate models, energy forecasting, transportation optimization, environmental monitoring, and resource management [41]. Nevertheless, such applications should also align with climate mitigation objectives. An AI ought to lower emissions, enhance efficiency, and assist in making climate-relevant decisions, not necessarily by boosting computational requirements [42].

7.3 Practical implications

This review has practical implications for researchers, developers, companies, policymakers, and experts in the field. For the researchers, the review emphasizes the importance of studying AI as a system-level technology rather than as a model-building exercise alone. Further research into how algorithmic design, infrastructure, and deployment conditions can influence the real-world value of intelligent systems is warranted. AI systems must be built with deployment conditions in mind for developers and practitioners. What works well in the laboratory might not work well in practice due to computational complexity, lack of interpretability, lack of security, or inability to fit within the situation's limited resources. The following should be considered in practical AI development: efficiency testing, explainability evaluation, security assessment, and sustainability considerations. For policymakers and organizations, the review emphasizes responsible AI governance. Some of the areas where AI systems impact include healthcare, cybersecurity, transportation, digital infrastructure, environmental management, and government services. As a result, deployment must take into account accountability, transparency, privacy, and fairness. The evolution of AI ethics guidelines worldwide demonstrates that responsible AI is now a significant issue within institutions and societies [43].

7.4 Limitations and future research directions

There are several limitations in this paper. It is a conceptual review, rather than a statistical review, systematic literature review, or a meta-analysis. It does not quantify effect sizes or make statistical comparisons, and it does not purport to cover all the literature in AI and computer science. It is meant to integrate ideas and develop a cohesive model. Second, the list of technological areas chosen is not exhaustive. Smart healthcare, cybersecurity, robotics, natural language processing, edge computing, IoT, smart infrastructure, and sustainable technologies are reviewed for their strong evidence of AI-computer science fusion. Additional areas of interest include education, agriculture, finance, manufacturing, biotechnology, and government administration. Third, AI is developing rapidly, so certain technologies might evolve. New architectures, deployment models, governance structures, and sustainability challenges can emerge rapidly; thus, the conceptual framework must be updated constantly. The computationally efficient AI, sustainable development, climate mitigation, responsible digital infrastructure, and AI governance need to be the focus of future research. Fairness, transparency, accountability, and human control will still be at the center in high-impact areas. Beneficence, non-maleficence, autonomy, justice, and explicability are principles that should guide ethical AI [44]. The Algorithm-to-Intelligence Integration Framework could also be empirically tested in the future in fields such as healthcare AI, cybersecurity, autonomous robotics, edge intelligence, and smart-city infrastructure.

8. Conclusion

The shift toward algorithmic intelligence is one indicator of the profound synthesis between artificial intelligence and computer science. The intelligent systems in the modern world are not created solely from data; they require algorithm design, data formats, optimization techniques, computational complexity, distributed infrastructure, and scalable system architecture. These computer science foundations provide the technical basis on which AI systems learn, reason, adapt,

and operate in real-world settings. This conceptual survey has demonstrated that the paradigms of AI, including machine learning, deep learning, explainable AI, neuro-symbolic systems, and edge intelligence, are reinforced by their links to powerful computational principles. In particular, the integration of AI and computer science can be essential in new areas of technology such as smart healthcare, cybersecurity, robotics, natural language processing, IoT systems, edge computing, and sustainable digital infrastructure. In all these areas, intelligence should be practical, reliable, and deployable, and not just theoretical. The suggested Algorithm-to-Intelligence Integration Framework describes this relationship by connecting computer science underpinnings, the AI paradigm, systems-level requirements, technology fields, and future technology results. The review finds that future technological solutions should be intelligent, scalable, explainable, secure, sustainable, and socially responsible. Thus, AI-enabled innovation has a future that relies on the balance between adaptable learning and computational discipline, accountable management, and technological design focusing on humans

Ethical issue

The authors are aware of and comply with best practices in publication ethics, specifically regarding authorship (avoidance of guest authorship), dual submission, manipulation of figures, competing interests, and compliance with research ethics policies. The authors adhere to publication requirements that the submitted work is original and has not been published elsewhere.

Data availability statement

The manuscript contains all the data. However, additional data will be provided by the corresponding author upon reasonable request.

Conflict of interest

The authors declare no potential conflict of interest.

References

- [1] D. Silver et al., "Mastering the game of Go with deep neural networks and tree search," *Nature*, vol. 529, no. 7587, pp. 484–489, Jan. 2016, doi: 10.1038/nature16961.
- [2] I. H. Sarker, "Machine Learning: Algorithms, Real-World Applications and Research Directions," *SN COMPUT. SCI.*, vol. 2, no. 3, p. 160, Mar. 2021, doi: 10.1007/s42979-021-00592-x.
- [3] Y. Xu et al., "Artificial intelligence: A powerful paradigm for scientific research," *Innovation*, vol. 2, no. 4, Nov. 2021, doi: 10.1016/j.xinn.2021.100179.
- [4] M. M. Bronstein, J. Bruna, Y. LeCun, A. Szlam, and P. Vandergheynst, "Geometric Deep Learning: Going beyond Euclidean data," *IEEE Signal Processing Magazine*, vol. 34, no. 4, pp. 18–42, Jul. 2017, doi: 10.1109/MSP.2017.2693418.
- [5] T. N. Kipf and M. Welling, "Semi-Supervised Classification with Graph Convolutional Networks," Feb. 22, 2017, arXiv: arXiv:1609.02907. doi: 10.48550/arXiv.1609.02907.
- [6] Z. Wu, S. Pan, F. Chen, G. Long, C. Zhang, and P. S. Yu, "A Comprehensive Survey on Graph Neural Networks," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 32, no. 1, pp. 4–24, Jan. 2021, doi: 10.1109/TNNLS.2020.2978386.

- [7] S. Ruder, "An overview of gradient descent optimization algorithms," Jun. 15, 2017, arXiv: arXiv:1609.04747. doi: 10.48550/arXiv.1609.04747.
- [8] S. Han, H. Mao, and W. J. Dally, "Deep Compression: Compressing Deep Neural Networks with Pruning, Trained Quantization and Huffman Coding," Feb. 15, 2016, arXiv: arXiv:1510.00149. doi: 10.48550/arXiv.1510.00149.
- [9] T. Ben-Nun and T. Hoefler, "Demystifying Parallel and Distributed Deep Learning: An In-depth Concurrency Analysis," *ACM Comput. Surv.*, vol. 52, no. 4, p. 65:1-65:43, Aug. 2019, doi: 10.1145/3320060.
- [10] L. Li, Y. Fan, M. Tse, and K.-Y. Lin, "A review of applications in federated learning," *Computers & Industrial Engineering*, vol. 149, p. 106854, Nov. 2020, doi: 10.1016/j.cie.2020.106854.
- [11] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, "BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding," in *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, J. Burstein, C. Doran, and T. Solorio, Eds., Minneapolis, Minnesota: Association for Computational Linguistics, Jun. 2019, pp. 4171-4186. doi: 10.18653/v1/N19-1423.
- [12] T. Brown et al., "Language models are few-shot learners," *Advances in neural information processing systems*, vol. 33, pp. 1877-1901, 2020.
- [13] R. Bommasani et al., "On the Opportunities and Risks of Foundation Models," arXiv.org. Accessed: Apr. 30, 2026. [Online]. Available: <https://arxiv.org/abs/2108.07258v3>
- [14] G. Marcus, "Deep Learning: A Critical Appraisal," arXiv.org. Accessed: Apr. 30, 2026. [Online]. Available: <https://arxiv.org/abs/1801.00631v1>
- [15] L. D. Raedt, S. Dumančić, R. Manhaeve, and G. Marra, "From Statistical Relational to Neuro-Symbolic Artificial Intelligence," Mar. 24, 2020, arXiv: arXiv:2003.08316. doi: 10.48550/arXiv.2003.08316.
- [16] A. d'Avila Garcez and L. C. Lamb, "Neurosymbolic AI: the 3rd wave," *Artif Intell Rev*, vol. 56, no. 11, pp. 12387-12406, Nov. 2023, doi: 10.1007/s10462-023-10448-w.
- [17] F. Doshi-Velez and B. Kim, "Towards A Rigorous Science of Interpretable Machine Learning," Mar. 02, 2017, arXiv: arXiv:1702.08608. doi: 10.48550/arXiv.1702.08608.
- [18] W. Samek, T. Wiegand, and K.-R. Müller, "Explainable Artificial Intelligence: Understanding, Visualizing and Interpreting Deep Learning Models," Aug. 28, 2017, arXiv: arXiv:1708.08296. doi: 10.48550/arXiv.1708.08296.
- [19] R. Guidotti, A. Monreale, S. Ruggieri, F. Turini, F. Giannotti, and D. Pedreschi, "A Survey of Methods for Explaining Black Box Models," *ACM Comput. Surv.*, vol. 51, no. 5, p. 93:1-93:42, Aug. 2018, doi: 10.1145/3236009.
- [20] C. Rudin, "Stop explaining black box machine learning models for high stakes decisions and use interpretable models instead," *Nat Mach Intell*, vol. 1, no. 5, pp. 206-215, May 2019, doi: 10.1038/s42256-019-0048-x.
- [21] N. Mehrabi, F. Morstatter, N. Saxena, K. Lerman, and A. Galstyan, "A Survey on Bias and Fairness in Machine Learning," *ACM Comput. Surv.*, vol. 54, no. 6, p. 115:1-115:35, Jul. 2021, doi: 10.1145/3457607.
- [22] I. D. Raji et al., "Closing the AI accountability gap: defining an end-to-end framework for internal algorithmic auditing," in *Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency*, in FAT* '20. New York, NY, USA: Association for Computing Machinery, Jan. 2020, pp. 33-44. doi: 10.1145/3351095.3372873.
- [23] K.-H. Yu, A. L. Beam, and I. S. Kohane, "Artificial intelligence in healthcare," *Nat Biomed Eng*, vol. 2, no. 10, pp. 719-731, Oct. 2018, doi: 10.1038/s41551-018-0305-z.
- [24] E. J. Topol, "High-performance medicine: the convergence of human and artificial intelligence," *Nat Med*, vol. 25, no. 1, pp. 44-56, Jan. 2019, doi: 10.1038/s41591-018-0300-7.
- [25] A. Esteva et al., "A guide to deep learning in healthcare," *Nat Med*, vol. 25, no. 1, pp. 24-29, Jan. 2019, doi: 10.1038/s41591-018-0316-z.
- [26] X. Chen, H. Xie, X. Tao, F. L. Wang, M. Leng, and B. Lei, "Artificial intelligence and multimodal data fusion for smart healthcare: topic modeling and bibliometrics," *Artif Intell Rev*, vol. 57, no. 4, p. 91, Mar. 2024, doi: 10.1007/s10462-024-10712-7.
- [27] A. L. Buczak and E. Guven, "A Survey of Data Mining and Machine Learning Methods for Cyber Security Intrusion Detection," *IEEE Communications Surveys & Tutorials*, vol. 18, no. 2, pp. 1153-1176, 2016, doi: 10.1109/COMST.2015.2494502.
- [28] D. S. Berman, A. L. Buczak, J. S. Chavis, and C. L. Corbett, "A Survey of Deep Learning Methods for Cyber Security," *Information*, vol. 10, no. 4, p. 122, Apr. 2019, doi: 10.3390/info10040122.
- [29] I. H. Sarker, M. H. Furhad, and R. Nowrozy, "AI-Driven Cybersecurity: An Overview, Security Intelligence Modeling and Research Directions," *SN COMPUT. SCI.*, vol. 2, no. 3, p. 173, Mar. 2021, doi: 10.1007/s42979-021-00557-0.
- [30] E. Hashmi, M. M. Yamin, and S. Y. Yayilgan, "Securing tomorrow: a comprehensive survey on the synergy of Artificial Intelligence and information security," *AI Ethics*, vol. 5, no. 3, pp. 1911-1929, Jun. 2025, doi: 10.1007/s43681-024-00529-z.
- [31] L. Tai, G. Paolo, and M. Liu, "Virtual-to-real deep reinforcement learning: Continuous control of mobile robots for mapless navigation," in *2017 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, Sep. 2017, pp. 31-36. doi: 10.1109/IROS.2017.8202134.
- [32] L. Brunke et al., "Safe Learning in Robotics: From Learning-Based Control to Safe Reinforcement Learning," *Annual Review of Control, Robotics, and Autonomous Systems*, vol. 5, no. Volume 5, 2022, pp. 411-444, May 2022, doi: 10.1146/annurev-control-042920-020211.

- [33] D. J. Yeong, K. Panduru, and J. Walsh, "Exploring the Unseen: A Survey of Multi-Sensor Fusion and the Role of Explainable AI (XAI) in Autonomous Vehicles," *Sensors*, vol. 25, no. 3, p. 856, Jan. 2025, doi: 10.3390/s25030856.
- [34] D. W. Otter, J. R. Medina, and J. K. Kalita, "A Survey of the Usages of Deep Learning for Natural Language Processing," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 32, no. 2, pp. 604–624, Feb. 2021, doi: 10.1109/TNNLS.2020.2979670.
- [35] T. Wolf et al., "Transformers: State-of-the-Art Natural Language Processing," in *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing: System Demonstrations*, Q. Liu and D. Schlangen, Eds., Online: Association for Computational Linguistics, Oct. 2020, pp. 38–45. doi: 10.18653/v1/2020.emnlp-demos.6.
- [36] W. Shi, J. Cao, Q. Zhang, Y. Li, and L. Xu, "Edge Computing: Vision and Challenges," *IEEE Internet of Things Journal*, vol. 3, no. 5, pp. 637–646, Oct. 2016, doi: 10.1109/JIOT.2016.2579198.
- [37] Z. Zhou, X. Chen, E. Li, L. Zeng, K. Luo, and J. Zhang, "Edge Intelligence: Paving the Last Mile of Artificial Intelligence With Edge Computing," *Proceedings of the IEEE*, vol. 107, no. 8, pp. 1738–1762, Aug. 2019, doi: 10.1109/JPROC.2019.2918951.
- [38] A. Bourechak, O. Zedadra, M. N. Kouahla, A. Guerrieri, H. Seridi, and G. Fortino, "At the Confluence of Artificial Intelligence and Edge Computing in IoT-Based Applications: A Review and New Perspectives," *Sensors*, vol. 23, no. 3, p. 1639, Jan. 2023, doi: 10.3390/s23031639.
- [39] R. Schwartz, J. Dodge, N. A. Smith, and O. Etzioni, "Green AI," *Commun. ACM*, vol. 63, no. 12, pp. 54–63, Nov. 2020, doi: 10.1145/3381831.
- [40] R. Vinuesa et al., "The role of artificial intelligence in achieving the Sustainable Development Goals," *Nat Commun*, vol. 11, no. 1, p. 233, Jan. 2020, doi: 10.1038/s41467-019-14108-y.
- [41] D. Rolnick et al., "Tackling Climate Change with Machine Learning," *ACM Comput. Surv.*, vol. 55, no. 2, p. 42:1–42:96, Feb. 2022, doi: 10.1145/3485128.
- [42] L. H. Kaack, P. L. Donti, E. Strubell, G. Kamiya, F. Creutzig, and D. Rolnick, "Aligning artificial intelligence with climate change mitigation," *Nat. Clim. Chang.*, vol. 12, no. 6, pp. 518–527, Jun. 2022, doi: 10.1038/s41558-022-01377-7.
- [43] A. Jobin, M. Ienca, and E. Vayena, "The global landscape of AI ethics guidelines," *Nat Mach Intell*, vol. 1, no. 9, pp. 389–399, Sep. 2019, doi: 10.1038/s42256-019-0088-2.
- [44] L. Floridi and J. Cowls, "A Unified Framework of Five Principles for AI in Society," in *Machine Learning and the City*, John Wiley & Sons, Ltd, 2022, pp. 535–545. doi: 10.1002/9781119815075.ch45.



This article is an open-access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).